





Number of contacts

4

40 A 830 V 8 kV 3

Modular

| Identification | Conductor cross-section (mm ²) | Part number | | Drawing (dimensions in mm) | | | | | | | | | | | | | | | | | | |
|---|--|--|--|---|-------------------------|---|------------------|----------------------------|---------|--------|----------------------------|---------|--------|--------------------------|---------|--------|--------------------------|--------|--------|--------------------------|--------|-------|
| | | Male | Female | | | | | | | | | | | | | | | | | | | |
| Han-Modular®, Han® CC Protected module, Crimp termination  <p>Please order crimp contacts separately.</p> | 1.5 ... 6 | 09 14 004 3041 | 09 14 004 3141 |  <p>Contact arrangement (view from termination side)</p> | | | | | | | | | | | | | | | | | | |
| Han® C, Crimp contact, Contact surface: Silver plated  | 1.5 2.5 4 6 | 09 32 000 6104 09 32 000 6105 09 32 000 6107 09 32 000 6108 | 09 32 000 6204 09 32 000 6205 09 32 000 6207 09 32 000 6208 |  <table border="1"> <thead> <tr> <th>Conductor cross-section</th> <th>ø</th> <th>Stripping length</th> </tr> </thead> <tbody> <tr> <td>1.5 mm² AWG 16</td> <td>1.75 mm</td> <td>9.5 mm</td> </tr> <tr> <td>2.5 mm² AWG 14</td> <td>2.25 mm</td> <td>9.5 mm</td> </tr> <tr> <td>4 mm² AWG 12</td> <td>2.85 mm</td> <td>9.5 mm</td> </tr> <tr> <td>6 mm² AWG 10</td> <td>3.5 mm</td> <td>9.5 mm</td> </tr> <tr> <td>10 mm² AWG 8</td> <td>4.3 mm</td> <td>12 mm</td> </tr> </tbody> </table> | Conductor cross-section | ø | Stripping length | 1.5 mm ² AWG 16 | 1.75 mm | 9.5 mm | 2.5 mm ² AWG 14 | 2.25 mm | 9.5 mm | 4 mm ² AWG 12 | 2.85 mm | 9.5 mm | 6 mm ² AWG 10 | 3.5 mm | 9.5 mm | 10 mm ² AWG 8 | 4.3 mm | 12 mm |
| Conductor cross-section | ø | Stripping length | | | | | | | | | | | | | | | | | | | | |
| 1.5 mm ² AWG 16 | 1.75 mm | 9.5 mm | | | | | | | | | | | | | | | | | | | | |
| 2.5 mm ² AWG 14 | 2.25 mm | 9.5 mm | | | | | | | | | | | | | | | | | | | | |
| 4 mm ² AWG 12 | 2.85 mm | 9.5 mm | | | | | | | | | | | | | | | | | | | | |
| 6 mm ² AWG 10 | 3.5 mm | 9.5 mm | | | | | | | | | | | | | | | | | | | | |
| 10 mm ² AWG 8 | 4.3 mm | 12 mm | | | | | | | | | | | | | | | | | | | | |